Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SPRING OF 1902.

ESTABLISHED 1849.

WHOLESALE TRADE-LIST

OF THE

Morrisville Nurseries

SAMUEL C. MOON

Morrisville, Bucks County, Penna.

THE MORRISVILLE NURSERIES are in Bucks county, Pennsylvania, about one mile from Morrisville, a station on the New York Division of the P. R. R., thirty miles from Philadelphia, sixty miles from New York, and two miles from Trenton, New Jersey. Carriages can always be obtained from the stations in Trenton. To get to the Nursery from Trenton, cross the Delaware River over the Bridge-street bridge and continue out Bridge street, one and a half miles westward toward Fallsington.

THROUGH FREIGHT RATES from Trenton to all principal cities north, south, east and west, via Pennsylvania, Reading, or Lehigh Valley Railroads. Also, water transportation to Philadelphia and New York. All goods will be delivered to the railroad or steamboat in good condition, after which they are entirely at the risk of the purchaser. Should any loss or delay occur to goods in transit, the forwarding company alone must be held accountable and responsible. Packing is done in first-class manner, and charged for at cost of material used.

ALL CLAIMS for errors or deductions must be made immediately upon receipt of goods.

TERMS CASH, unless by special agreement. I can ship by express, C. O. D., when desired, with charges for collection added to bill.

Address all orders and communications to

SAMUEL C. MOON,

Telephone 811-a, Trenton, N. J., Exchange.

Morrisville, Bucks County, Penna.

OUR NURSERY has been recently examined by the Special Agent of the Department of Agriculture for the state of Pennsylvania, and no evidence of the presence of injurious insects or diseases was found. The nursery is carefully examined every month. Copy of inspection certificate will be furnished when requested.

SAMUEL C. MOON'S WHOLESALE TRADE-LIST

LARGE STOCK.

Frequently we have calls for large, well grown specimen trees and shrubs, for producing immediate effect in new plantations.

The following are a few well developed plants that have been transplanted several times, and are still standing in cultivated land. They have excellent roots, and most of them can be shipped with heavy balls of earth if desired.

Further particulars respecting the stock will be furnished on application, but whenever practicable, it is more satisfactory for purchasers to visit the Nursery and examine such stock in person. We are glad to receive such visitors.

- 4 BEECH, American, 4 in. cal., 15 ft.
- 10 "European, 4 to 6 in. cal., 15 to 20 ft.
 - 1 CERCIDIPHYLLUM, 14 ft., 4-in. cal., bushy, branched low.
 - 5 ELMS, 5 to 8 in. cal., 25 to 35 ft.
 - 6 MAGNOLIA Soulangeana, 10 to 12 ft., large bushes, branched low.
- 8 "Kobus, 9 to 12 ft., 3 in. cal., low branched, bushy tree.
- 2 MAPLE, Red or Scarlet, 8 to 9 in. cal., 35 to 40 ft.
- 3 OAK, English, 3 in. cal., 12 to 16 ft.
- 75 ALTHEA, Double White, tree-form, 3-year heads, 6 to 8 ft.
 - 2 BOX TREES, 6 ft. high, loose, open habit, not sheared.
 - 8 JAPAN JUDAS, 6 ft., large bushes.
- 100 DEUTZIA candidissima, crenata, scabra and Pride of Rochester, 6 to 8 ft., large bushes, 4 to 5 ft. in diameter.
- 20 VIBURNUM plicatum, 7 to 8 ft., well developed bushes.
- 12 WISTARIA sinensis, large, spreading bushes, 5 to 6 ft.
- 20 ERIANTHUS ravennæ, whole clumps, 12 in. in diameter.
- 100 EULALIAS, Japonica, Green Type, variegata, zebrina and gracillima, 12 to 15 in in diameter.
- 100 HARDY ORANGE (Citrus Trifoliata) 5 to 6 ft., fine bushes.
 - 1 Parkman's Double Flowering Crab, 8 ft., large bush; branched low.
 - 4 PICEA Nordmanniana, 12 to 14 ft.
 - 4 ABIES excelsa inverta, 10 to 14 ft.
 - 1 OXYDENDRON arborea (Sorrel Tree), 10 ft., well branched.
 - 1 QUERCUS imbricaria (Shingle Oak), 12 ft., branched low.
 - 1 PHELLODENDRON Amurense (Chinese Cork Tree) 10 ft.

DECIDUOUS ORNAMENTAL TREES.

APPLE, Parkman's Flowering Crab, 5 to 6 ft	Per 10 \$3 50	Per 100
BEECH, American, 5 to 6 ft., twice transplanted		
European, 3 to 4 ft.		
Fine specimens, 14 to 2) ft., 3 to 5 in. caliper. Special description and prices of these will be furnished on application, when personal inspection is impracticable.		
Purple-leaved, seedlings, 2 to 3 ft., twice transplanted	2 50	
" " 5 to 6 ft	5 00	
" Rivers' top-grafted, 6 to 8 ft	7 50	
8 to 10 1t		
BIRCH, Purple-leaved. 5 to 6 ft	2 50	
BIRD CHERRY (Cerasus padus), 18 to 24 in	1 00	
CHESTNUT, European. From large selected seeds, 2 to 3 ft	1 50 2 50	
CYPRESS, Deciduous (Taxodium distichum), 6 to 8 ft	6 00	\$50 00
ELM, American, 8 to 10 ft., twice transplanted	. 3 50	30 00
" 12 to 14 ft., $2\frac{1}{2}$ to 3 in. caliper, transplanted		
European, 16 to 20 ft., 3 to 8 in. calipereach, \$5 to \$25		
GINKGO biloba, 6 to 8 ft	4 00	30 00
HOP TREE, Golden (Ptelea trifoliata aurea), 4 to 5 ft	2 50	
HORSE CHESTNUT, Double White-flowering, 4 to 5 ft.	5 00	
White flowering, 6 to 8 ft		
JUDAS, Japan (Cercis Japonica), 4 to 5 ft.		
" A few large, bushes each, \$2.50		
KENTUCKY COFFEE TREE (Gymnocladus Canadensis), 5 to 6 ft	2 50	
LARCH, Kæmpferii	6 00	
LINDEN, American, 9 to 10 ft	4 00	
European, Silver-leaved, 7 to 9 ft	5 00	
LIQUIDAMBAR styraciflua (Bilstead, or Sweet Gum), 6 to 7 ft	5 00	
MAGNOLIA Alexandrina. One of the finest Chinese Magnolias Kobus (Japanese Magnolia), 8 to 10 ft.; bushy and fine each, \$5 to \$15	15 00	
obovata, gracilis and purpurea, 4 to 5 ft	5 00	
Soulangeana, 4 to 5 ft		
5 to 7 ft	7 50 25 00	
" 7 to 8 ft., fine, large bushes tripetala, 8 to 10 ft	5 00	
" 10 to 12 ft	6 00	
MAPLE, Red Colchicum, transplanted, 10 to 12 ft	7 50	
Norway, 6 to 8 ft., transplanted, twice	2 00	18 00
" 8 to 10 ft. " three times	4 00	30 00
" 10 to 12 ft. " " "	6 00	50 00
Scarlet, or Red, or Swamp, 6 to 8 ft	5 00	
" " " 8 to 10 ft per 1,000, \$15	7 50 50	2 50
"8 to 10 ft	3 50	25 00
" 10 to 12 ft	5 00	
" 12 to 14 ft., 2 to 2½ in. caliper	10 00	
Tartarian Ginnala, dwarf; seedlings, 18 to 24 in	1 00	8 00

OAK, English (Quercus robur), 6 to 8 ft., well-branched	Per 10 \$7 50	Per 100
" 8 to 10 ft., "		
Mossy Cup (Q. macrocarpa), 3 to 4 ft	1 50	\$10 00
" " 6 to 8 ft	6 00	5 0 00
" " " 8 to 10 ft	10 00	
Pin (Q. paluslris), 6 to 8 ft.	7 50	60 00
" 'to 9 ft	10 00	75 00
Red (Q rubra), 6 to 8 ft.	7 50	
Willow-leaf (Q. Phellos), 3 to 4 ft., transplanted	3 00	25 00
" 4 to 5 ft., "	6 00	50 0 0
0 to 110.,		75 00
PAWPAW, or Custard-Apple (Asimina triloba). 3 to 4 ft., light PHELLODENDRON Amurense (Chinese Cork Tree), 7 to 8 ft	50 7 50	3 00
	1 30	
PRUNUS Pissardii, 5 to 6 ft., own roots	4 00	
SHELLBARK, Hickory. Nursery grown seedlings; a superior thin-	N.	F 00
shelled variety, 9 to 12 inches	75	5 00
TULIP TREE (Liriodendron tulipifera), 7 to 9 ft	5 00	
" 9 to 10 ft	7 50	
WILLOW, Britzensis, 3 to 4 ft	1 00	6 00
Golden Bark, 3 to 4 ft	1 00	6 00
" 5 to 6 ft	2 50	20 00
that the state of		
EVERGREENS.		
	Per 10	Per 100
ARBORVITÆ, American, 2 to 3 ft., twice transplanted		\$1 0 00
" 3 to 4 ft	2 00	\$1 0 00
" 3 to 4 ft	2 00 4 00	
" 3 to 4 ft	2 00 4 00 75	5 00
" 3 to 4 ft	2 00 4 00 75 1 50	
" 3 to 4 ft	2 00 4 00 75 1 50 10 00	5 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in	2 00 4 00 75 1 50	5 00
" 3 to 4 ft	2 00 4 00 75 1 50 10 00 5 00	5 00 10 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in globosa, 6 to 9 in	2 00 4 00 75 1 50 10 00 5 00 1 00	5 00 10 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in globosa, 6 to 9 in " 8 to 10 in	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50	5 00 10 00 8 00 12 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb,	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50 2 50	5 00 10 00 8 00 12 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in.	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50 2 50 3 50	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in.	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50 2 50 3 50 1 50 75	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in globosa, 6 to 9 in " 8 to 10 in " 12 to 15 in " 15 to 18 in Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in Hovey's Golden, 6 to 10 in Siberian, 3 to 4 ft	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50 2 50 3 50 1 50 75 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in " 12 to 15 in " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft.	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50 2 50 3 50 1 50 75 5 00 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in globosa, 6 to 9 in " 8 to 10 in " 12 to 15 in " 15 to 18 in Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in Hovey's Golden, 6 to 10 in Siberian, 3 to 4 ft Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft	2 00 4 00 75 1 50 10 00 5 00 1 00 2 50 3 50 1 50 75 5 00 5 00 5 00 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in " 12 to 15 in " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft " Golden (Semper aurescens), 10 to 15 in	2 00 4 00 75 1 50 10 00 5 00 1 00 1 50 2 50 3 50 1 50 75 5 00 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in " 9 to 12 in Geo. Peabody, 2 to 3 ft gigantea variegata, 18 to 24 in globosa, 6 to 9 in " 8 to 10 in " 12 to 15 in " 15 to 18 in Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in Hovey's Golden, 6 to 10 in Siberian, 8 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft " Golden (Semper aurescens), 10 to 15 in	2 00 4 00 75 1 50 10 00 5 00 1 00 2 50 3 50 1 50 75 5 00 5 00 5 00 5 00 5 00 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft. " Golden (Semper aurescens), 10 to 15 in. " Elegantissima, 2 to 2½ ft.	2 00 4 00 75 1 50 10 60 5 00 1 00 1 50 2 50 3 50 1 50 75 5 00 5 00 5 00 5 00 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft. " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft. " Golden (Semper aurescens), 10 to 15 in. " Elegantissima, 2 to 2½ ft. CEPHALOTAXUS Fortuneii (Chinese Yew), 2½ to 3 ft. CRYPTOMERIA Japonica, 2 to 2½ ft.	2 00 4 00 75 1 50 10 00 5 00 1 00 2 50 3 50 1 50 75 5 00 5 00 2 50 5 00 5 00 2 50 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft. " 4 to 5 ft., thrice transplanted. compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft. " Golden (Semper aurescens), 10 to 15 in. " Elegantissima, 2 to 2½ ft. CEPHALOTAXUS Fortuneii (Chinese Yew), 2½ to 3 ft. ORYPTOMERIA Japonica, 2 to 2½ ft. JUNIPER, Swedish, 12 to 18 in.	2 00 4 00 75 1 50 10 00 5 00 1 50 2 50 3 50 1 50 75 5 00 5 00 2 50 5 00 2 50 5 00 15 00 10 00 1 00	5 00 10 00 8 00 12 00 20 00 10 00 5 00
" 3 to 4 ft. " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft. " Golden (Semper aurescens), 10 to 15 in. " Elegantissima, 2 to 2½ ft. CEPHALOTAXUS Fortuneii (Chinese Yew), 2½ to 3 ft. ORYPTOMERIA Japonica, 2 to 2½ ft. JUNIPER, Swedish, 12 to 18 in. American (Juniperus communis), 18 to 24 in.	2 00 4 00 75 1 50 10 00 5 00 1 00 2 50 3 50 1 50 75 5 00 5 00 2 50 5 00 5 00 2 50 5 00	5 00 10 00 8 00 12 00 20 00
" 3 to 4 ft. " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft. " Golden (Semper aurescens), 10 to 15 in. " Elegantissima, 2 to 2½ ft. CEPHALOTAXUS Fortuneii (Chinese Yew), 2½ to 3 ft. ORYPTOMERIA Japonica, 2 to 2½ ft. JUNIPER, Swedish, 12 to 18 in. American (Juniperus communis), 18 to 24 in. Cracovia, 15 to 18 in.	2 00 4 00 75 1 50 10 00 5 00 1 00 2 50 3 50 75 5 00 5 00 2 50 5 00 5 00 15 00 10 00 1 00 1 50	5 00 10 00 8 00 12 00 20 00 10 00 5 00
" 3 to 4 ft. " 4 to 5 ft., thrice transplanted compacta, 6 to 9 in. " 9 to 12 in. Geo. Peabody, 2 to 3 ft. gigantea variegata, 18 to 24 in. globosa, 6 to 9 in. " 8 to 10 in. " 12 to 15 in. " 15 to 18 in. Heath-leaved (Thuya ericoides), and Tom Thumb, 12 to 15 in. Hovey's Golden, 6 to 10 in. Siberian, 3 to 4 ft. Vervæneana, 3 to 4 ft. Chinese (Biota orientalis compacta), 2 to 3 ft. " Golden (Semper aurescens), 10 to 15 in. " Elegantissima, 2 to 2½ ft. CEPHALOTAXUS Fortuneii (Chinese Yew), 2½ to 3 ft. ORYPTOMERIA Japonica, 2 to 2½ ft. JUNIPER, Swedish, 12 to 18 in. American (Juniperus communis), 18 to 24 in.	2 00 4 00 75 1 50 10 00 5 00 1 00 2 50 3 50 1 50 5 00 5 00 5 00 5 00 5 00 15 00 15 00 1 50 1 5	5 00 10 00 8 00 12 00 20 00 10 00 5 00

	Per 1	- D-	1 100
JUNIPER, Trailing (J. procumbens), 6 in., 1 yr			3 00
" 12 to 18 in			
			3 00
10 10 24 111.	2 5		00
Irish, 6 to 10 in			00
12 to 18 in	1 5		00
Pyramidal, 9 to 12 in.	7	5 6	3 00
" 2 to 2½ ft	1 5	0 12	00
PINE, White, Dwarf (Pinus strobus nanus), 2 ft x 2 ft.	25 0	0	
RETINOSPORA obtusa nana, 12 to 18 in	10.0	0	
plumosa, 12 to 15 in.			. 00
			00
o to 41th, sheared specimens			
± 10 0 10.,			
" aurea, 9 to 12 in			00
" " 3 to 4 ft., sheared specimens	15 0	0	
" lutescens, 18 to 24 in	5 0	0	
squarrosa Veitchii, $1\frac{1}{2}$ to 2 ft., sheared specimens	7 5	0	
SILVER FIR Ralsam 3 to 4 ft	2 5	0	
SILVER FIR, Balsam, 3 to 4 ft Douglas, 3 to 4 ft			
	5 0		
European, 4 to 5 ft	5 0		
Fraserii, 18 to 24 in.	2 5		
Weeping (Abies pectinata pendula), 2 to $2\frac{1}{2}$ ft	15 0	0	
pichta, 2 to 3 ft	5 0	00	
Nordmann's, 12 to 15 in., twice transplanted	3 0	0 28	5 00
" 18 to 24 in	7 5	O 60	00
2 to 3 ft	15 0	0 100	00
"Selected specimens each, \$3 to \$5			
	= 0	10	
SPRUCE, Alcoquiana, 12 to 18 in., grafted	5 (00	
Colorado Blue (Picea pungens), 3 years grafted; fine color;			
12 to 18 in			
" " Seedlings, 18 to 24 in	15 0	0	
" (P. Parryana glauca), 18 to 24 in	10 0	0	
Pungens Seedlings, not blue, 12 to 18 in	1 0	0 8	3 00
" " 18 to 24 in	2 0	0 16	3 00
" " 24 to 3 in	3 0	0 25	5 00
elata, 4 to 5 ft; long, spreading branches; very singular			
" 5 to 6 ft			
Hemlock, 2 to 3 ft			5 00
" 3 to 4 ft	9 0		5 00
" 4 to 5 ft			
			00
Dwarf, or macrophyna, 5 to 35 ft., granted			
Sargent's Weeping, 19 to 16 in., graited			
10 to 24 m		0	
Orientalis, 12 to 18 in			
" 1½ to 2 ft	15 0	0	
" 3 ft	20 0	0	
" $3\frac{1}{2}$ to 4 ft., fine specimens	30 0	0	
4 to 5 ft., fine specimensEach, \$4 to \$8			
Norway, 12 to 18 in; twice transplanted	1 0	00 8	3 00
" 3 to 4 ft	2 5		
" 4 to 5 ft	5 0	0	
" Compacta, 18 to 24 in			
" diffusa, 12 inches			
"Golden (Excelsa aurea), 18 to 24 in			
		ř. balu	

						Per 10	Per 100
SPRUC	E, Norway,	Gregoria	na, 12 to	15 in.		\$15 00	
	66	pumila, 1	ft			15 00	
	66				a), 18 to 24 in		
	**	"	"		3 to 4 ft	10 00	
	"	"	**		4 to 5 ft	15 00	
(10)		"		"	5 to 6 ft	25 00	
YEW, I	English (Tax	us baccata),	12 to 18	in		3 50	
	"						
	"						
	Golden (T. ba	accata aurea), 12 to 1	8 in., g	grafted	10 00	



The fine specimen of Picea excelsa inverta represented in the above cut is about 13 feet high and 10 feet broad. It is a thrifty plant in good condition, was transplanted in 1900, and has a fine mass of fibrous roots which retain a heavy ball of earth. It will be carefully dug and the roots mossed and the top protected with crate or burlaps and loaded on car for \$75.

EVERGREEN AND DECIDUOUS SHRUBS.

		STAGE,
ALTHÆA, Double Red, Double Pink and Double White, 2 to 3 ft	Per 10	Per 100
" " S to 4 ft		\$10 00
"White, Standards, tree form, 6 to 8 ft.; 3 yr. heads.		12 00
Variegated-leaved, 18 to 24 in.	1 50	
Seedlings, mixed, 3 to 4 ft	1 00	8 00
" " 18 to 24 inches	50	3 00
AMORPHA fruticosa (Indigo Bush), 4 to 5 ft		10 00
AMYGDALUS communis fl. pl. (Double-flowering Almond), 1½ to 2ft	1 50	
ANDROMEDA arborea (Oxydendron; Sorrel Tree), transplanted, 4 to 5 ft.	10.00	
Catesbæii, 12 to 18 in.	2 50	
Mariana, 2 to 3 ft., transplanted, twice	5 00	
racemosa, 4 to 5 ft., transplanted	5 00	
ARALIA pentaphylla, 3 to 4 ft		90.00
spinosa, 3 to 4 ft		20 00
The state of the s	2 30	
AZALEA amœna, strong plants—		
" 6 to 8 in., from 2½-inch pots	1 50	10 00
" 6 to 10 in., from 3½-inch pots	1 50	12 00
" 9 to 12 in., from open ground; well branched	3 00	2 5 00
" 12 to 15 in., from open ground; fine plants	6 00	50 00
" 15 in. selected plants	10 00	
calendulacea, 2 to 3 ft	5 00	
BERBERIS purpurea (Purple-leaved Barberry), 12 to 18 in., transplanted	1 00	
Thunbergii, 12 to 18 in., transplanted; bushy	1 00	8 00
" 18 to 24 in., "	1 50	12 0 0
BUXUS aurea variegata, latifolia, myrtifolia, rotundifolia and		
sempervirens (Tree Box). 2 to $2\frac{1}{2}$ ft., nice specimens, 50 cts.		
to \$1.50 each.		
6 to 10 in	75	5 00
12 to 18 in	1 50	10 00
CALYCANTHUS floridus, 12 to 18 in	50	4 00
CARYOPTERIS mastacanthus (Blue Spiræa), 12 to 18 in	1 00	8 00
CERCIS Japonica (Japan Judas), bushy plants, 4 to 5 ft		75 00
" " 5 to 6 ft	10 00	

AZALEA AMŒNA. I have a fine stock of this scarce but valuable plant. It is one of the choicest dwarf evergreen shrubs for small yards and for massing, and for bordering groups of rhododendrons or other broadleaved evergreens. It blooms very freely in early summer, and forces with the greatest ease. The flowers are semi-double, 1 inch in diameter and of rich carmine or magenta color, borne in great profusion. When full grown the plants attain a size of 3 to 4 feet in height. It is highly prized wherever known, and well grown specimens are always eagerly taken at good prices whenever they can be secured, but as it is a dwarf plant and a rather slow grower, the demand has always been in excess of the supply and large plants are always scarce. The young stock here offered will continue to increase in value for several years. For prices, see above.

CHIONANTHUS Virginica (White Fringe), 2 to 3 ft., transplanted Per 10
CITRUS trifoliata (Hardy Orange); for hedging, 2 to 3 ft., transplanted. 1 50 " " 6 to 8 ft 5 00 CLERODENDRON serotinum, 4 to 5 ft 3 00 CLETHRA alnifolia (Sweet Pepper Bush), 2 to 3 ft.; bushy. 1 50 10 00 CORCHORUS Japonica, variegata, 1 yr. 1 00 6 00 CORNUS floridus (White-flowering Dogwood), 4 to 5 ft 5 00
" " " 6 to 8 ft. 5 00 CLERODENDRON serotinum, 4 to 5 ft. 3 00 CLETHRA alnifolia (Sweet Pepper Bush), 2 to 3 ft.; bushy 1 50 10 00 CORCHORUS Japonica, variegata, 1 yr. 1 00 6 00 CORNUS floridus (White-flowering Dogwood), 4 to 5 ft. 5 00
CLERODENDRON serotinum, 4 to 5 ft 3 00 CLETHRA alnifolia (Sweet Pepper Bush), 2 to 3 ft.; bushy. 1 50 10 00 CORCHORUS Japonica, variegata, 1 yr. 1 00 6 00 CORNUS floridus (White-flowering Dogwood), 4 to 5 ft 5 00
CLETHRA alnifolia (Sweet Pepper Bush), 2 to 3 ft.; bushy.1 5010 00CORCHORUS Japonica, variegata, 1 yr.1 006 00CORNUS floridus (White-flowering Dogwood), 4 to 5 ft.5 00
CORCHORUS Japonica, variegata, 1 yr.1 006 00CORNUS floridus (White-flowering Dogwood), 4 to 5 ft.5 00
CORNUS floridus (White-flowering Dogwood), 4 to 5 ft
sanguinea, 2 to $2\frac{1}{2}$ ft, nice bushes
COTONEASTER microphylla, 6 to 9 in
Simonsi, 1 ft
CRATÆGUS pyracantha and Lelandi, 6 to 9 in
" " " 12 to 15 in
CYDONIA Japonica, seedlings, 6 to 12 in 50 2 00
" 18 to 24 in., transplanted
DAPHNE cneorum, 6 to 10 in
DEUTZIA candidissima plena (Double White), 3 to 4 ft
scabra, 3 to 4 ft
Pride of Rochester and Watereri, 3 to 4 ft
cand. pl., crenata, Pride of Roch and scabra, 4 to 5 ft. 1 25 12 00
0 to 7 lt. 2 30
ELÆAGNUS longipes, true, large-fruited, 2 to 3 ft
EUONYMUS Japonica (Evergreen Euonymus), 2 to $2\frac{1}{2}$ ft
" aurea and argentea variegata, 12 to 18 in. 1 50 10 00
radicans variegata, 6 to 12 in
EXOCHORDA grandiflora (Pearl Bush), 18 to 24 in
" " 4 to 5 ft., bushy 1 50 12 00 FORSYTHIA viridissima, 3 to 4 ft
suspensa, 2 to 3 ft
HALESIA diptera and tetraptera, 18 to 24 in
" " 4 to 5 ft, transplanted 2 00 15 00
HYDRANGEA paniculata grandiflora, 1½ to 2 ft
" 2 to 3 ft 2 00
Hortensis, 18 to 24 in
cordata, 3 to 4 ft
Thos. Hogg, 18 to 24 in
HYPERICUM kalmianum, 18 to 24 in. 1 00 Aureum, 1-yr seedlings, 10 to 15 in. 50
JASMINUM officinalis and nudiflorum, 1½ to 2 ft 1 00 8 00
LAGERSTRŒMIA Indica (Pink Crape Myrtle), 9 to 12 in 2 50 20 00
" and Rubra, 12 to 15 in
" " 18 to 24 in 5 00 40 00
LIGUSTRUM oval. (California Privet), 1½ to 2 ft per 1,000, \$20 50 3 00
" 2 to 3 ft.; bushy " \$45 75 6 00
" $3\frac{1}{2}$ to 4 ft.; " " \$75 1 00 8 00

	Per	10	Per	100
LIGUSTRUM Ibota (Chinese Privet), true, hardy, 18 t o24 in	\$1		\$6	
" 2 to 3 ft.; bushy	1	00	8	00
" 3 to 4 ft.; very bushy	1	50	12	00
intermedia, 2 to 3 ft	1	00	8	00
vulgaris (Common Privet), 18 to 24 in		75	5	00
LONICERA fragrantissima (Upright Fragrant Honeysuckle), 18 to 24 in.	1	00	8	00
" 3 to 4 ft; bushy	1	50	12	00
" 4 to 5 ft.; very bushy	2	50	20	00
Xylosteum (English Fly Honeysuckle), 2 to 3 ft	1	00	8	00
MAHONIA aquifolia, 12 to 18 in., transplanted	1	50	10	00
PHILADELPHUS coronarius and grandiflorus, 3 to 4 ft	1	50	10	00
Ketelerii, dwarf, 2 to 3 ft	1	00		
PRUNUS Pissardii (Purple-leaved Plum), 5 to 6 ft	4	00		
triloba, 3 to 4 ft.	3	00		
RHODODENDRON, Hardy named varieties, with buds	10	00		
maximum, 12 to 18 in., transplanted		00	40	00
" 18 to 24 in		50	10	00
" 2 to 2½ ft., fine bushes				
RHODOTYPOS kerrioides, 2 to 3 ft., transplanted		00	16	00
RHUS cotinus (Purple Fringe), 4 to 5 ft	2	50		
ROSA multiflora Japonica, 2 yr., 3 to 4 ft.	1	00	8	00
Rugosa and Rugosa alba, Mixed seedlings, 2 to 3 ft	1	50		
Wichuraiana (Memorial, or Japan Trailing Rose), 2 to 3 ft		75	6	00
" 6 to 10 ft., 2-yrs	1	50	10	00
" layers; well-rootedper 1,000, \$25		50	3	00
Pink Roamer, Manda's Triumph, Universal Favorite, and				
South Orange Perfection, strong, field-grown plants	1	50	10	
1-year per 1,000, \$50	4	75		00
Crimson Rambler; 1-yr., field grown		00	8	
" 2-yrs., " strong Baltimore Belle, Prairie Queen, Madame Plantier, 2 yrs		50 00	12	
SOPHORA Japonica, 18 to 24 in., transplanted.		20 50	10	00
SPIRÆA arguta; single white; very hardy; 2 to 3 ft	1		e	00
Billardii, 3 to 4 ft	1	75 00	8	00
Lindleyana, 3 to 4 ft		50	0	00
Reevesii, Single and Double, 3 to 4 ft		20	10	00
Thunbergii, 2 to $2\frac{1}{2}$ ft		20	10	
Van Houttei, 2 to 3 ft		00	8	
Watereri. Dwarf, carmine; 2 years, 18 to 24 in		20	10	

LONICERA FRAGRANTISSIMA. This shrub is not sufficiently known nor appreciated. It is one of the best plants for informal shrubberies and for filling vacancies. It is very hardy, nearly evergreen, a vigorous grower, open and irregular in habit without sprawling "all over," blooming very early, often before the snow has entirely disappeared; the flowers are very fragrant with the delightful daphne perfume. It gives satisfaction wherever used and should be planted more freely.

STEPHANANDRA flexuosa, 12 to 18 in		00	Per 100 \$8 00
" 2 to 3 ft	100	50	12 00
" 3 to 4 ft.; bushy	2	00	16 00
STYRAX Japonica, 3 to 4 ft	2	00	16 00
SYMPHORICARPUS vulgaris, 2 to 3 ft	1	00	8 00
SYRINGA Japonica (Tree Lilac), 4 to 5 ft	4	00	
vulgaris (Purple Lilac), 2 to 3 ft	1	00	8 00
" 3 to 4 ft	1	5 0	12 00
" " 4 to 5 ft	3	50	
" alba, 2 to 3 ft		50	
" 4 to 5 ft., fine bushes Persica, 4 to 5 ft		00	
Josikæa, Rubra de Marley, Rothmagensis, Leon	2	00	
Simon, Marie Legraye, Alfonse Lavalle, Villosa,			
M. Ludovic and Charles X. 3 to 4 ft., fine bushes	2	50	
ULEX Europæus (Gorse or Furze), 12 to 18 in		50	10 00
VIBURNUM opulus (Tree Cranberry), 2 to 3 ft		00	8 00
" " 4 to 5 ft	1		12 0 0
plicatum, 3 to 4 ft	2		12 00
" large bushes, 4 to 5 ft	5		
5 to 7 ft., very fine bushes	10	00	
macrocephalum, 3 to 4 ft	5	-	
tomentosum, 12 to 18 in.	2		12 00
2 to 5 lt., very bushy	3	00	25 00
WEIGELIAS, assorted; 2 to 3 ft	1	5 0	10 00
VINES AND CREEPERS.			
White Will a second of the second of the	Per #1		Per 100
AKEBIA quinata, 3 yrs., transplanted, strong plants	\$1	5 0	\$12 00
AKEBIA quinata, 3 yrs., transplanted, strong plants	\$1	5 0	\$1 2 0 0 4 0 0
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs.	\$1	5 0 5 0 5 0	\$12 00 4 00 10 00
AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '' 1 yr. seedlings; field-grown, No. 1 1,000, \$25 '' '' '' No. 2 1,000, \$10	\$1	5 0	\$1 2 0 0 4 0 0
AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '' 1 yr. seedlings; field-grown, No. 1 1,000, \$25 '' '' '' No. 2 1,000, \$10 '' '' '' No. 3 1,000, \$3	\$1	50 50 50 50	\$12 00 4 00 10 00 4 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. '' 1 yr. seedlings; field-grown, No. 1 1,000, \$25 '' '' '' No. 2 1,000, \$10 '' '' 'No. 3 1,000, \$3 Virginica, 2 yrs	\$1	50 50 50 50 50 30 25	\$12 00 4 00 10 00 4 00 1 50
AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '' 1 yr. seedlings; field-grown, No. 1 1,000, \$25 '' '' '' No. 2 1,000, \$10 '' '' '' No. 3 1,000, \$3	\$1	50 50 50 50 50 30 25	\$12 00 4 00 10 00 4 00 1 50 50
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. ' 1 yr. seedlings; field-grown, No. 1. 1,000, \$25. '' '' No. 2. 1,000, \$10. '' '' No. 3 .1,000, \$3. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. '' 4 to 6 ft.; large, strong plants.	\$1	50 50 50 50 50 30 25 00	\$12 00 4 00 10 00 4 00 1 50 50 8 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. '' 1 yr. seedlings; field-grown, No. 1 1,000, \$25 '' '' '' '' No. 2 1,000, \$10 '' '' 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '' 4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong.	\$1 1 1	50 50 50 50 30 25 00 50	\$12 00 4 00 10 00 4 00 1 50 50 8 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. ' 1 yr. seedlings; field-grown, No. 1. 1,000, \$25. '' '' No. 2. 1,000, \$10. '' '' No. 3 .1,000, \$3. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. '' 4 to 6 ft.; large, strong plants.	\$1 1 1 1 2	50 50 50 50 50 30 25 00 50	\$12 00 4 00 10 00 4 00 1 50 50 8 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. '' 1 yr. seedlings; field-grown, No. 1 1,000, \$25 '' '' '' '' No. 2 1,000, \$10 '' '' 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '' 4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong.	\$1 1 1 2 4	50 50 50 50 30 25 00 50 50	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. '1 yr. seedlings; field-grown, No. 1 1,000, \$25 'No. 2 1,000, \$10 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50 50 50 50 50 30 25 00 50 50 50	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. '1 yr. seedlings; field-grown, No. 1 1,000, \$25 'No. 2 1,000, \$10 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. '4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground. EUONYMUS radicans variegata.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50 50 50 50 50 50 30 225 000 50 50 50	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00 8 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '1 yr. seedlings; field-grown, No. 1 1,000, \$25 'No. 2 1,000, \$10 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50 50 50 50 50 50 30 225 000 50 50 50	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00 8 00 8 00 8 00
AKEBIA quinata, 3 yrs., transplanted, strong plants. AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft. Veitchii, 2 yrs. '1 yr. seedlings; field-grown, No. 1 1,000, \$25. '' '' '' 'No. 2 1,000, \$10. '' '' 'No. 3 1,000, \$3. Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft. '' 4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground. EUONYMUS radicans variegata. LONICERA aurea (Golden Japan Honeysuckle) and Halleana. Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft. '' '' '' '' '' '' '' 6 to 10 ft.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50 50 50 50 50 30 225 000 50 00 000 000	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00 8 00 8 00 8 00 8 00
AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '1 yr. seedlings; field-grown, No. 1 1,000, \$25 'No. 2 1,000, \$10 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground EUONYMUS radicans variegata LONICERA aurea (Golden Japan Honeysuckle) and Halleana Japonica (Pink Woodbine) ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft '' '' '' '' '' '' 6 to 10 ft TECOMA radicans (Bignonia), 2 to 3 ft	\$1	50 50 50 50 50 30 30 225 00 50 50 50 60 60 60 60 75	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00 8 00 8 00 8 00 8 00 6 00 10 00 5 00
AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '1 yr. seedlings; field-grown, No. 1 1,000, \$25 'No. 2 1,000, \$10 'No. 3 1,000, \$3 Virginica, 2 yrs BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '4 to 6 ft.; large, strong plants grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground EUONYMUS radicans variegata LONICERA aurea (Golden Japan Honeysuckle) and Halleana Japonica (Pink Woodbine). ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft '' '' '' '' '' '' '' '' '' '' '' '' ''	\$1	50 50 50 50 50 30 30 225 00 50 50 50 60 60 60 60 75	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00 8 00 8 00 8 00 8 00 6 00 10 00 5 00 10 00
AKEBIA quinata, 3 yrs., transplanted, strong plants AMPELOPSIS bipinnata and heterophylla, 2 to 3 ft Veitchii, 2 yrs '1 yr. seedlings; field-grown, No. 1 1,000, \$25 'No. 2 1,000, \$10 'No. 3 1,000, \$3 Virginica, 2 yrs. BIGNONIA radicans (Trumpet Creeper), 3 to 4 ft '4 to 6 ft.; large, strong plants. grandiflora and Thunbergii, 4 to 5 ft., strong. CLEMATIS paniculata, strong plants, from open ground EUONYMUS radicans variegata LONICERA aurea (Golden Japan Honeysuckle) and Halleana Japonica (Pink Woodbine) ROSA Wichuraiana (Memorial, or Trailing Japan Rose), 2 to 3 ft '' '' '' '' '' '' 6 to 10 ft TECOMA radicans (Bignonia), 2 to 3 ft	\$1	50 50 50 50 50 30 30 225 00 50 50 50 60 60 60 60 75	\$12 00 4 00 10 00 4 00 1 50 50 8 00 10 00 8 00 8 00 8 00 8 00 6 00 10 00 5 00

		Per 10	Per 10e
WISTARIA	frutescens and frutescens alba (Glycine), 4 to 5 ft	\$2 50	
	" magnifica, 1½ to 3 ft	75	\$5 00
	" 3 to 4 ft	1 50	12 00
03 319 m2 m	4 to 6 ft., large plants	2 50	20 00
	Chinensis, rooted layers	75	5 00
	" 1½ to 3 ft., transplanted	1 00	8 00
	" 3 to 4 ft., "		12 00
	" 4 to 5 ft., strong bushes	5 00	
	alba (White Wistaria), 3 to 4 ft	5 00	
87 -1 - 1 J - 1 - 1	multijuga, 3 to 4 ft		

BULBOUS AND HERBACEOUS PLANTS, GRASSES, ETC.

ARUNDO donax variegata			Per		Per	100
ARUNDINARIA, or Bambusa metake		• • •	1	50	\$10	00
ASTILBE, or Spiræa Japonica			1	00	6	00
DAHLIAS, dry roots. 50 of the choicest varieties per 1,00 '' Young plants from pots; well established			1	25 80		00
DESMODIUM penduliflorum, 1 yr.; strong roots			1	00	6	00
ERIANTHUS Ravennæ, strong elumps "Divided plants				50 00		00· 00·
EULALIA Japonica variegata, zebrina and gracillima,	str	ong				
clumpsper 1,000			1	00	5	00
" Very strong clumps, 12 to 15 eyes	• • • •	• • •	1	50	12	00
FUNKIA cœrulea (Blue Day Lily)	Per : \$1 5		Per	100	Per 1	,000
HEMEROCALLIS fulva (Orange Day Lily)	1 0	0	\$5	00		
HIBISCUS Moscheutos (Crimson Eye)	5	0	4	00		
IRIS Kæmpferi, mixed seedlings, 1 yr	4	0	2	00	\$15	00
" " 2 yr	7		5		40	-
" choice named varieties	1 5		10		80	00
naige clumps	3 0		25	00		
PÆONIA, Herbaceous assorted. Strong, divided roots	2 0	0	15	00		
RUDBECKIA (Autumn Glow), Double Cone Flower	1 0	0	5	00		
UNIOLA latifolia. Hardy ornamental grass; 3 ft. high	1 0	0	5	00		
YUCCA filamentosa, 1 yr. seedlings	2	5	1	00	6	00
" 2 yrs., transplanted; strong plants	1 0	0	6	00		
3 yrs., "	1 5		10	00		
" A few extra-large clumps	5 0					
Gloriosa recurva, 3 yrs	2 5)				
" A few extra fine specimens each, \$2.50						
each, \$2.00						

SEEDLINGS AND CUTTINGS.

EVERGREENS.	Per 10 100 1,000
Per 10 100	CORNUS sanguinea, 12 to 15 in\$0 75 \$5 00
ARBORVITÆ, compacta, globosa and Hovey's Golden, 2 yr.,	COTONEASTER microphylla and
6 to 9 in., transplanted. \$0 75 \$5 00	Simonsii, 6 to 9 in
Siberian, 6 to 9 in 75 5 00	Rooted cuttings 30 2 00 \$15 00
JUNIPER, Golden (J. com. aurea), 4 to 6 in. 75 5 00	crategus pyracantha (Ever- green Thorn), 6 in 1 00 8 00
" " 6 to 9 in. 1 50 10 00	Lelandii, 6 to 8 in 1 50 10 00
Irish, 1 yr., 4 to 6 in1,000, \$20 50 3 00	DEUTZIA candidissima pl., cre-
4 2 yr., 6 to 10 in., trans 75 5 00	nata pl., Pride of Rochester, Watereri
pyramidal, 6 to 10 in 75 4 00	and scabra, 12 to 18 in. 50 4 00
Swedish and Dwarf, 6 to 10 in. 75 5 00	scabra seedlings, 6 to 12 in
trailing (J. prostrata), 9 in 1 00 6 00	EUONYMUS radicans variegata,
RETINOSPORA plumosa, 12 to 15 in 2 00 15 00	6 to 12 in 1 00 8 00
" aurea, 9 to 12 in. 2 00 15 00	EXOCHORDA grandiflora, 6 to 10 in. 30 2 00
SILVER FIR, Nordmann's (P.Nordmann-	18 to 24 in. 50 2 50 20 00
iana), 10 to 15 in., trans 3 00 25 00 Pinsapo, 12 to 15 in., trans. 2 50	FORSYTHIA suspensa, seedlings, 12 to 18 in
SPRUCE, Alcoquiana, 12 to 18 in., grafted. 5 00	HALESIA diptera and tetraptera,
Colorado (A. pungens), 9 to 12 in. 1 50 10 00	1 yr 30 2 00
" 12 to 18 in. 3 00	HIBISCUS Moscheutos. White, with
Hemlock, 6 to 10 in., trans 1 00 6 00	crimson eye, 1 yr
12 to 15 in., trans 1 50 12 00	HYDRANGEA, Thos. Hogg 50 4 00
inverta, grafted, 12 to 18 in 2 50	KERRIA Japonica variegata, 12 to 15 in
Orientalis, 9 to 12 in	LAGERSTRŒMIA Indica (Crape
par at the second to trans the best best best best best best best bes	Myrtle), 6 to 9 in
DECIDUOUS TREES.	LAGERSTRŒMIA Indica, Rooted
MAPLE, Norway, 4 to 6 in 20 50 \$3 00	cuttings 50 3 00 25 00
" 12 to 18 in 25 75 6 00	LIGUSTRUM ibota, 12 to 15 in 60 4 00
Sugar, 18 to 24 in 50 2 50 15 00	"Rooted cuttings 30 2 00 15 00 chinensis, 6 to 12 in 30 1 00 6 00
4 to 6 ft 1 00 12 00	LONICERA fragrantissima, 12 to
Black Sugar, 1 yr., 6 in 25 75 6 00	18 in 75 6 00
OAK, English (Quercus robur), 3 ft. 1 50 10 00	LONICERA fragrantissma, Rooted euttings
Mossy Cup (Q. macrocarpa), 3 to 4 ft., trans	
Pin (Q. palustris), 1 yr 50 1 50	MAHONIA Japonica, 6 in
White (Q. alba), 2 to 3 in 1 00 4 00	ROSA Wichuraiana and hybrids; 5 varieties, 1 yr., 2 to 3 ft
Willow (Q. phellos). 3 to 4 ft 3 00 20 00	ROSA Wichuraiana, Rooted layers 50 3 00 25 00
	SHELLBARK, Hickory; from large,
SHRUBS-DECIDUOUS AND EVER-	thin-shelled nuts; 9 to 12 in 75 5 00
GREEN.	STEPHANANDRA flexuosa, 6 to
Per 10 100 1,000 ALTHEA, 1 yr. seedlings, 9 to 12 in \$0 30 \$1 50 \$10 00	9 in
" 12 to 18 in 50 2 00 15 00	STEPHANANDRA flexuosa, Rooted cuttings 30 2 00 15 00
ANDROMEDA arborea, 1 yr 30 2 00	STYRAX Japonica, 2 yr., 18 to 24 in. 50 4 00
AZALEA amœna, from 3-in. pots 1 50 12 00	VIBURNUM tomentosum, 3 to 5 in.,
46 4 to 6 in 75 6 00 50 00	well rooted 30 2 50
Rooted cuttings	9 to 12 in
from bed 50 3 00 25 00	rooted 50 4 00 25 00
BUXUS latifolia, myrtifolia and	YUCCA filamentosa, 1 yr 25 1 00 6 00
sempervirens,6 to 10 in., trans 75 5 00 Rooted cuttings 30 2 00 15 00	IRIS Kæmpferi (Japan Iris), 1 yr 40 2 00 15 00
	AMPELOPSIS heterophylla or in- cisa, 1 to 2 ft 30 2 00
CALYCANTHUS floridus, 1 yr 25 1 50 10 00 floridus, 2 yr., 12	Veitchii, 1 yr 50 4 00 25 00
to 18 in 35 2 00 15 00	1 yr., No. 2. 30 1 50 10 00
CARYOPTERIS mastacanthus	WISTARIA Sinensis, 1 yr., 6 to 10 in 40 2 00 15 00
(Blue Spirea), 10 to 15 in 75 6 00	magnifica, 12 to 24 in. 50 4 00 25 00
" Rooted cuttings 30 2 00	" 10 to 15 in. 25 2 00 10 00

20,000 AZALEA AMŒNA from \$25 to \$500 per 1,000.

Address

SAMUEL C. MOON, Morrisville, Pa.